

Extensions

for the Artificial Head Measurement System HMS IV.0

Wireless Remote Control RC VI (Code 1966)



All functions of the HMS IV.0 can be remotely controlled with the RC VI system, consisting of a PDA (Personal Digital Assistant) and a Bluetooth adapter attached directly to the HMS IV.0. The RC VI has a range of about 10 meters (30 ft). (Similar to photo)

Aurally Accurate Playback



For playback from the CompactFlash card or for monitoring during the recording, HEAD acoustics recommends the dynamic headphones HD IV.1 (Code 2380) and HD IV.2 (Code 2481) or the headphone types HD 25-1 (70 Ohm), HD 280 pro or Bose QC 2 (Quiet Comfort). The HMS IV.0 activates the correct playback level and the equalization for the recording.

Seat Mount Adapter HSM V (Code 1520)



The HSM V is an extremely convenient seat mount adapter for artificial head recordings in a car. It features seamless height and angle adjustment for exact positioning of the artificial head. In addition, HEAD/lab systems and other hardware components can be safely mounted on the bottom plate for convenient handling.

HEAD Torso Box HTB V (Code 1374)



The Torso Box is a housing resembling the shape of a human torso, which allows individual measurement, playback, and storage devices to be integrated into a customized, mobile measurement system tailored to the customer's requirements.

Triaxial Laser Pointer TLP (Code 1967)



Triaxial laser pointer for exact positioning of the HMS IV.0. In order to position the HMS IV exactly and reproducibly, the TLP can be mounted easily on the top mounting platform of the artificial head. With its three laser beams, the position and orientation of the HMS IV.0 can then be adjusted exactly.